

12 56 52
AUDIO-VISUAL FURNITURE

1. GENERAL

- A. Related sections:
 - i. 00 00 13 - Designing Learning Environments
 - ii. 72 41 00 – General Audio-Visual Systems Requirements

2. PRODUCTS

- A. Equal to Computer Comforts or equal to Malone Institutional Lecterns pending the room type as per the chart below. Any variation from the lectern schedule below shall be approved in writing by the Center for Teaching and Learning. Contact Project Manager for additional information:

Room Type	Lectern Type
10 to 20 Seat Flat Classroom	Equal to Computer Comforts: IT-3030-SS (Modified for UGA)
20 to 49 Seat Flat Classroom	Equal to Computer Comforts: IT-3030-SS (Modified for UGA)
50 to 60 Seat Flat Classroom	Equal to Computer Comforts: ULS-2 (Modified for UGA)
60 to 100 Seat Flat Classroom	Equal to Computer Comforts: ULS-2 (Modified for UGA)
100 to 120 Seat Tiered Classroom	Equal to Computer Comforts: ULS-2 (Modified for UGA)
200 to 280 Seat Tiered Classroom	Equal to Malone design / fabricators, Arches AAA or Arches MB (Custom for UGA)
45, 72, and 99 Seat SCALE-UP Classroom	Equal to Computer Comforts ULS-2 (Modified for UGA), or modified IT-3030-SS

- B. Equal to Computer Comforts, IT-3030-SS
 - i. This standard product has been modified for UGA.
 - ii. Instructional Lectern with general dimensions of 30" wide x 30" deep x 38" tall, space saver model.
 - iii. 20" wide x 27.5" deep flip up surface.
 - iv. Equipment racks must be approved by the Center for Teaching and Learning.
 - v. Locks by UGA.
 - vi. Coordinate finish selection with Project Manager.
- C. Equal to Computer Comforts, ULS-2
 - i. This standard product has been modified for UGA.
 - ii. Universal lectern with general dimensions of 48" wide x 30" deep x 38" tall.
 - iii. 20" wide x 27.5" deep flip up surface.
 - iv. Equipment racks must be approved by the Center for Teaching and Learning.
 - v. Locks by UGA.
 - vi. Coordinate finish selection with Project Manager.
- D. Equal to Malone design / fabricators, Arches AAA
 - i. Custom design for UGA.



The University of Georgia
Office of University Architects for Facilities Planning

- ii. General dimensions of 58" wide, 28" deep, 39 3/4" tall.
 - iii. 2 locking casters, 2 non-locking casters.
 - iv. Equipment racks must be approved by the Center for Teaching and Learning.
 - v. Locks by UGA.
 - vi. Coordinate finish selection with Project Manager.
- E. Equal to Malone design / fabricators, Arches MB
- i. Custom design for UGA.
 - ii. General dimensions of 72" wide, 29" deep, 40 1/2" tall.
 - iii. 2 locking casters, 2 non-locking casters.
 - iv. Equipment racks must be approved by the Center for Teaching and Learning.
 - v. Locks by UGA.
 - vi. Coordinate finish selection with Project Manager.